European Journal of Pharmacology, 237 (1993) 341–343
© 1993 Elsevier Science Publishers B.V. All rights reserved 0014-2999/93/$06.00

Author index

Adachi, N., see Oishi, R. (237) 155
Alhaider, A.A., see Mustafa, A.A. (237) 147
Altavilla, D., see Squadrito, F. (237) 223
Andrews, N., see File, S.E. (237) 127
Arnal, J.-F., El Amrani, A.-I. and Michel, J.-B.
Atrial natriuretic factor influences in vivo plasma, lung and aortic wall cGMP concentrations differently (237) 265
Assié, M.-B., Sleight, A.J. and Koek, W.
Biphasic displacement of [^{3}H]YM-09151-2 binding in the rat brain by thioridazine, risperidone and clozapine, but not by other antipsychotics (237) 183
Awere, S., see Moore, N.A. (237) 1

Bachy, A., Héaulme, M., Giudice, A., Michaud, J.-C., Lefevre, I.A., Souilhac, J., Manara, L., Emerit, M.B., Gozlan, H., Hamon, M., Keane, P.E., Soubrié, P. and Le Fur, G.
SR 57227A: a potent and selective agonist at central and peripheral 5-HT$_3$ receptors in vitro and in vivo (237) 299
Bagetta, G., Massoud, R., Rodinò, P., Federici, G. and Nisticò, G.
Systemic administration of lithium chloride and tacrine increases nitric oxide synthase activity in the hippocampus of rats (237) 61
Balasubramaniam, G., Lee, H.S. and Mah, S.C.
Antihypertensive effect of chronic i.v. administration of 5-carboxamidotryptamine in spontaneously hypertensive rats (237) 207
Bartrons, R., see Planas, M.E. (237) 251
Bertrand, G., Gross, R., Puech, R., Loubatières-Mariani, M.-M. and Bockaert, J.
Glutamate stimulates glucagon secretion via an excitatory amino acid receptor of the AMPA subtype in rat pancreas (237) 45
Bill, D.J., see Fletcher, A. (237) 283
Bill, S.J., see Fletcher, A. (237) 283
Blackman, A., see Moore, N.A. (237) 1
Bockaert, J., see Bertrand, G. (237) 45
Bonanno, G., see Lanza, M. (237) 191
Bonnafous, C., Martinez, J., Fargeas, M.-J. and Buéno, L.
Clonazepam-induced intestinal motor disturbances are linked to central nervous system release of cholecystokinin in rats (237) 237
Botella, A., Delvaux, M., Fioramonti, J., Frexinos, J. and Bueno, L.
Stimulatory (EP$_1$ and EP$_3$) and inhibitory (EP$_2$) prostaglandin E$_2$ receptors in isolated ileal smooth muscle cells (237) 131
Boyett, M., see Harrison, S. (83) 83
Bozza, P.T., see Martins, M.A. (237) 17
Brelière, J.-C., see Santucci, V. (237) 143
Buchholz, J., see Tsai, H. (237) 311
Buéno, L., see Bonnafous, C. (237) 237
Bueno, L., see Botella, A. (237) 131

Calapai, G., see Squadrito, F. (237) 223
Calcutt, N.A., see Carrington, A.L. (237) 257
Campo, G.M., see Squadrito, F. (237) 223
Cao, B.-J. and Peng, N.-A.
Magnesium valproate attenuates hyperactivity induced by dexamphetamine-chlordiazepoxide mixture in rodents (237) 177
Caputi, A.P., see Squadrito, F. (237) 223
Cardinali, D.P., see Golombek, D.A. (237) 231
Carrington, A.L., Calcutt, N.A., Ettlinger, C.B., Gustafsson, T. and Tomlinson, D.R.
Effects of treatment with myo-inositol or its 1,2,6-trisphosphate (PP56) on nerve conduction in streptozotocin-diabetes (237) 257
Castro Faria Neto, H.C., see Martins, M.A. (237) 17
Chen, C.-C., see Huang, H.-C. (237) 39
Chiba, S., see Horiuchi, A. (237) 23
Chung, Y.-L., see Huang, H.-C. (237) 39
Claing, A., see Télémaque, S. (237) 275
Clarke, R.W., see Harris, J. (237) 323
Cliffe, I.A., see Fletcher, A. (237) 283
Cordeiro, R.S.B., see Martins, M.A. (237) 17

Delvaux, M., see Botella, A. (237) 131
D'Orléans-Juste, P., see Télémaque, S. (237) 275
Dover, G.M., see Fletcher, A. (237) 283
Duckles, S.P., see Tsai, H. (237) 311

El Amrani, A.-I., see Arnal, J.-F. (237) 265
Emerit, M.B., see Bachy, A. (237) 299
Emonds-Alt, X., see Santucci, V. (237) 143
Ettlinger, C.B., see Carrington, A.L. (237) 257

Fargeas, M.-J., see Bonnafous, C. (237) 237
Fassio, A., see Lanza, M. (237) 191
Federici, G., see Bagetta, G. (237) 61
Fekete, I., see Hegedüs, K. (237) 293
Fibiger, H.C., see Hamamura, T. (237) 65
File, S.E. and Andrews, N.
Enhanced anxiolytic effect of zacopride enantiomers in diazepam-withdrawn rats (237) 127
Fioramonti, J., see Botella, A. (237) 131
Fletcher, A., Bill, D.J., Bill, S.J., Cliffe, I.A., Dover, G.M., Forster, E.A., Haskins, J.T., Jones, D., Mansell, H.L. and Reilly, Y.
WAY100135: a novel, selective antagonist at presynaptic and postsynaptic 5-HT$_{1A}$ receptors (237) 283
Forster, E.A., see Fletcher, A. (237) 283
Frexinos, J., see Botella, A. (237) 131
Fujii, W., see Takaki, M. (237) 51

Garg, U.C. and Hassid, A.
Mechanisms of nitrosothiol-induced antimitogenesis in aortic smooth muscle cells (237) 243
Gemignani, A., see Lanza, M. (237) 191
Gerlach, J., see Peacock, L. (237) 329
Gifford, A.N. and Johnson, K.M.
A pharmacological analysis of the effects of (+)-AJ 76 and (+)-UH 232 at release regulating pre- and postsynaptic dopamine receptors (237) 169
Giudice, A., see Bachy, A. (237) 299
Goldberg, R., see Hilakivi-Clarke, L.A. (237) 101
Golombek, D.A., Martini, M. and Cardinali, D.P.
Melatonin as an anxiolytic in rats: time dependence and interaction with the central GABAergic system (237) 231
González, P., see Planas, M.E. (237) 251
Gorostiza, P., see Guarner, V. (237) 139

Gouardères, C., Sutak, M., Zajac, J.-M. and Jhamandas, K.
Antinociceptive effects of intrathecally administered F8Famide and FMRFamide in the rat (237) 73
Gozlan, H., see Bachy, A. (237) 299
Graham, A.M. and Sneddon, P.
Evidence for nitric oxide as an inhibitory neurotransmitter in rabbit isolated anococcygeus (237) 93
Gratton, J.-P., see Télémaque, S. (237) 275
Gross, R., see Bertrand, G. (237) 45
Guarner, V., Hernández, E.H., Huerto, R., Gorostiza, P. and Valenzuela, F.
Trifluoperazine inhibition of insulin-induced increase in skeletal muscle glucose uptake (237) 139
Gueudet, C., see Santucci, V. (237) 143
Guirimand, F., see Strimbu-Gozariu, M. (237) 197
Gulati, A., see Rebello, S. (237) 9
Gustafsson, T., see Carrington, A.L. (237) 257

Hamamura, T. and Fibiger, H.C.
Enhanced stress-induced dopamine release in the prefrontal cortex of amphetamine-sensitized rats (237) 65
Hamon, M., see Bachy, A. (237) 299
Harris, J. and Clarke, R.W.
Motor and cardiovascular effects of selective α_2-adrenoceptor antagonists in the decerebrated rabbit (237) 323
Harrison, S., Milner, R. and Boyett, M.
Influence of Ca^{2+} channel agonists and antagonists on the post-rest staircase (83) 83
Haskins, J.T., see Fletcher, A. (237) 283
Hassid, A., see Garg, U.C. (237) 243
Héaulme, M., see Bachy, A. (237) 299
Hegedüs, K., Fekete, I. and Molnár, L.
Effects of dipyridamole in spontaneously hypertensive rabbits with diffuse chronic cerebral ischemia (237) 293
Hernández, E.H., see Guarner, V. (237) 139
Hilakivi-Clarke, L.A. and Goldberg, R.
Effects of tryptophan and serotonin uptake inhibitors on behavior in male transgenic transforming growth factor α mice (237) 101
Hisamoto, M., see Itoh, K. (237) 215
Horiuchi, A., Iwatsuki, K., Ren, L.-M., Kuroda, T. and Chiba, S.
Dual actions of glucagon: direct stimulation and indirect inhibition of dog pancreatic secretion (237) 23
Hsieh, L.-M., see Huang, H.-C. (237) 39
Huang, H.-C., Lai, M.-W., Wang, H.-R., Chung, Y.-L., Hsieh, L.-M. and Chen, C.-C.
Antiproliferative effect of esculetin on vascular smooth muscle cells: possible roles of signal transduction pathways (237) 39
Huerto, R., see Guarner, V. (237) 139

Ikeda, T., see Itoh, K. (237) 215
Imano, K., see Kita, A. (237) 317
Ioculano, M., see Squadrito, F. (237) 223
Itoh, K., Satoh, Y., Hisamoto, M., Yamamura, N., Mukaiyama, O., Yamaguchi, T., Ikeda, T. and Matsuda, K.
Alteration of eicosanoid production in the sensitized guinea pig lung by CS-518 (237) 215
Iwatsuki, K., see Horiuchi, A. (237) 23

Jhamandas, K., see Gouardères, C. (237) 73
Johnson, K.M., see Gifford, A.N. (237) 169
Jones, D., see Fletcher, A. (237) 283

Keane, P.E., see Bachy, A. (237) 299
Kinoshita, M., see Matsumoto, T. (237) 31
Kita, A., Imano, K. and Nakamura, H.
Involvement of corticotropin-releasing factor in the antinociception produced by interleukin-1 in mice (237) 317
Kitamura, M., see Saigusa, T. (237) 161
Ko, F.-N., see Lin, C.-H. (237) 109
Kobayashi, M., see Saigusa, T. (237) 161
Koek, W., see Assié, M.-B. (237) 183
Koshikawa, N., see Saigusa, T. (237) 161
Kuroda, T., see Horiuchi, A. (237) 23

Lai, M.-W., see Huang, H.-C. (237) 39
Lanza, M., Fassio, A., Gemignani, A., Bonanno, G. and Raiteri, M.
CGP 52432: a novel potent and selective $GABA_B$ autoreceptor antagonist in rat cerebral cortex (237) 191
Leander, J.D., see Moore, N.A. (237) 1
Le Bars, D., see Strimbu-Gozariu, M. (237) 197
Lee, H.S., see Balasubramaniam, G. (237) 207
Lefevre, I.A., see Bachy, A. (237) 299
Le Fur, G., see Bachy, A. (237) 299
Le Fur, G., see Santucci, V. (237) 143
Lima, M.C.R., see Martins, M.A. (237) 17
Lin, C.-H., Ko, F.-N., Wu, Y.-C., Lu, S.-T. and Teng, C.-M.
The relaxant actions on guinea-pig trachealis of atherosperminine isolated from *Fissistigma glaucescens* (237) 109
Loubatières-Mariani, M.-M., see Bertrand, G. (237) 45
Lu, S.-T., see Lin, C.-H. (237) 109

Mah, S.C., see Balasubramaniam, G. (237) 207
Manara, L., see Bachy, A. (237) 299
Mansell, H.L., see Fletcher, A. (237) 283
Martinez, J., see Bonnafous, C. (237) 237
Martini, M., see Golombek, D.A. (237) 231
Martins, M.A., Lima, M.C.R., Bozza, P.T., Castro Faria Neto, H.C., Silva, P.M.R., Sunkel, C.E. and Cordeiro, R.S.B.
Interference of the PAF receptor antagonist, PCA 4248, with the rat pleurisy evoked by inflammatory mediators or allergen (237) 17
Massoud, R., see Bagetta, G. (237) 61
Matsuda, K., see Itoh, K. (237) 215
Matsumoto, T., Okamura, T., Kinoshita, M. and Toda, N.
Interactions of nitrovasodilators and atrial natriuretic peptide in isolated dog coronary arteries (237) 31
Miceli, A., see Squadrito, F. (237) 223
Michaud, J.-C., see Bachy, A. (237) 299
Michel, J.-B., see Arnal, J.-F. (237) 265
Milner, R., see Harrison, S. (83) 83
Molnár, L., see Hegedüs, K. (237) 293
Moore, N.A., Blackman, A., Awere, S. and Leander, J.D.
NMDA receptor antagonists inhibit catalepsy induced by either dopamine D_1 or D_2 receptor antagonists (237) 1
Mukaiyama, O., see Itoh, K. (237) 215
Mustafa, A.A. and Alhaider, A.A.
Differential effects of fluoxetine on isoprenaline-stimulated water intake in ethanol-treated rats: a role for β-adrenoceptors (237) 147

Nakamura, H., see Kita, A. (237) 317
Namba, T., see Takaki, M. (237) 51
Nishikawa, T., see Shirayama, Y. (237) 117
Nisticò, G., see Bagetta, G. (237) 61

Oishi, R., Adachi, N. and Saeki, K.
N^{α}-Methylhistamine inhibits intestinal transit in mice by central histamine H_1 receptor activation (237) 155
Okamura, T., see Matsumoto, T. (237) 31

Peacock, L. and Gerlach, J.
Effects of several partial dopamine D_2 receptor agonists in *Cebus apella* monkeys previously treated with haloperidol (237) 329
Peng, N.-A., see Cao, B.-J. (237) 177

Planas, M.E., Sánchez, S., González, P., Rodrigues de Oliveira, J. and Bartrons, R.
Protective effect of fructose 1,6-bisphosphate against carrageenan-induced inflammation (237) 251
Puech, R., see Bertrand, G. (237) 45

Raiteri, M., see Lanza, M. (237) 191
Rebello, S., Thompson, E.B. and Gulati, A.
Endothelin mechanisms in altered thyroid states in the rat (237) 9
Reilly, Y., see Fletcher, A. (237) 283
Ren, L.-M., see Horiuchi, A. (237) 23
Rodinò, P., see Bagetta, G. (237) 61
Rodrigues de Oliveira, J., see Planas, M.E. (237) 251

Saeki, K., see Oishi, R. (237) 155
Saigusa, T., Koshikawa, N., Kitamura, M. and Kobayashi, M.
Reevaluation of the two-component hypothesis for turning behaviour by manipulating activities in the striatum and the nucleus accumbens of intact rats (237) 161
Sánchez, S., see Planas, M.E. (237) 251
Santucci, V., Gueudet, C., Emonds-Alt, X., Brelière, J.-C., Soubrié, P. and Le Fur, G.
The NK_2 receptor antagonist SR48968 inhibits thalamic responses evoked by thermal but not mechanical nociception (237) 143
Satoh, Y., see Itoh, K. (237) 215
Shirayama, Y., Nishikawa, T., Umino, A. and Takahashi, K.
p-Chlorophenylalanine-reversible reduction of σ binding sites by chronic imipramine treatment in rat brain (237) 117
Silva, P.M.R., see Martins, M.A. (237) 17
Sleight, A.J., see Assié, M.-B. (237) 183
Sneddon, P., see Graham, A.M. (237) 93
Soubrié, P., see Bachy, A. (237) 299
Soubrié, P., see Santucci, V. (237) 143
Souilhac, J., see Bachy, A. (237) 299
Squadrito, F., Altavilla, D., Zingarelli, B., Ioculano, M., Calapai, G., Campo, G.M., Miceli, A. and Caputi, A.P.
Tumor necrosis factor involvement in myocardial ischaemia-reperfusion injury (237) 223
Strimbu-Gozariu, M., Guirimand, F., Willer, J.-C. and Le Bars, D.
A sensitive test for studying the effects of opioids on a C-fibre reflex elicited by a wide range of stimulus intensities in the rat (237) 197
Suga, H., see Takaki, M. (237) 51
Sunkel, C.E., see Martins, M.A. (237) 17
Sutak, M., see Gouardères, C. (237) 73

Takahashi, K., see Shirayama, Y. (237) 117
Takaki, M., Namba, T., Fujii, W. and Suga, H.
Adenosine inhibits efferent function of extrinsic capsaicin-sensitive sensory nerves in the enteric nervous system (237) 51
Télémaque, S., Gratton, J.-P., Claing, A. and D'Orléans-Juste, P.
Endothelin-1 induces vasoconstriction and prostacyclin release via the activation of endothelin ET_A receptors in the perfused rabbit kidney (237) 275
Teng, C.-M., see Lin, C.-H. (237) 109
Thompson, E.B., see Rebello, S. (237) 9
Toda, N., see Matsumoto, T. (237) 31
Tomlinson, D.R., see Carrington, A.L. (237) 257
Tsai, H., Buchholz, J. and Duckles, S.P.
Postjunctional α_2-adrenoceptors in blood vessels: effect of age (237) 311

Umino, A., see Shirayama, Y. (237) 117

Valenzuela, F., see Guarner, V. (237) 139

Wang, H.-R., see Huang, H.-C. (237) 39
Willer, J.-C., see Strimbu-Gozariu, M. (237) 197
Wu, Y.-C., see Lin, C.-H. (237) 109

Yamaguchi, T., see Itoh, K. (237) 215
Yamamura, N., see Itoh, K. (237) 215

Zajac, J.-M., see Gouardères, C. (237) 73
Zingarelli, B., see Squadrito, F. (237) 223